Pending
Active
  L1: (260) (driv$3 with (piezoelectric with transformer
  L2: (278) (driv$3 with (piezoelectric with transformer
  L3: (159) 2 and ((detect$3 or sens$3) same output)
  L4: (29) 2 and ((detect$3 or sens$3) same lamp)
  L5: (27) 4 and control$4 and frequency and power
  L6: (143) 3 and control$4 and frequency and power
  L7: (55) 6 and rectangular
  L8: (44) 6 and ((rectangular or square) same wave$4)
  L9: (12) 8 and (time near2 ratio)
  L10: (23) 8 and ((time near2 ratio) or (duty adj cycle)
  L11: (23) 7 and ((time near2 ratio) or (duty adj cycle)
  L12: (88) 6 and ("315"$.ccls. or "310"$.ccls.)
  L13: (25) 7 and ((time near2 ratio) or (duty adj cycle)
  L14: (21) 13 and ("315"$.ccls. or "310"$.ccls.)
Failed
Saved
Favorites
Tagged (0)
UDC
Queue
Trash

DBs   US-PGPUB, USPAT, EPO, JPO, DERWENT
Default operator: OR

BEST AVAILABLE COPY

BRS form   ISP form   Image   Text   HTML

	Type	L#	Hits	Search Text	DBs	Time Stamp	Comments	Error
1	BRS	L1	260	(driv$3 with (piezoelectric with transformer)) and primary and secondary and (load or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 13:38		
2	BRS	L2	278	(driv$3 with (piezoelectric with transformer)) and primary and secondary and (load or lamp or (cold adj cathode))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 13:39		
3	BRS	L3	159	2 and ((detect$3 or sens$3) same output)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 13:40		
4	BRS	L4	29	2 and ((detect$3 or sens$3) same lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 13:40		
5	BRS	L5	27	4 and control$4 and frequency and power	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 13:41		
6	BRS	L6	143	3 and control$4 and frequency and power	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 13:41		
7	BRS	L7	55	6 and rectangular	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 14:18		
8	BRS	L8	44	6 and ((rectangular or square) same wave$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 13:42		
9	BRS	L9	12	8 and (time near2 ratio)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 14:07		
10	BRS	L10	23	8 and ((time near2 ratio) or (duty adj cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 14:17		
11	BRS	L11	23	7 and ((time near2 ratio) or (duty adj cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 14:22		
12	BRS	L12	88	6 and ("315"$.ccls. or "310"$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 14:22		
13	BRS	L13	25	7 and ((time near2 ratio) or (duty adj cycle) or (duty adj factor))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 14:22		
14	BRS	L14	21	13 and ("315"$.ccls. or "310"$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/04 14:28		

Hits   Details   HTML

Ready   NUM

EAST : [EAST_Text.wsp:1]

File   View   Edit   Tools   Window   Help

- Pending
- Active
  - L1: (1711) ((driv$3 or control$4) same (piezoelectric
  - L2: (370) 1 and primary and secondary
  - L4: (129) 2 and ((detect$3 or sens$3) same (load or
  - L5: (101) 4 and (pulse or (rectangular adj waveform))
  - L6: (76) 5 and frequency and period
  - L7: (72) 6 and ratio
  - L8: (140) 2 and ((detect$3 or sens$3) same (load or
  - L9: (105) 8 and (pulse or (rectangular adj waveform))
  - L10: (78) 9 and frequency and period
  - L11: (74) 10 and ratio
- Failed
- Saved
- Favorites
- Tagged (0)
- UDC
- Queue
- Trash

DBs   US-PGPUB; USPAT; EPO; JPO; DERWENT
Default operator: OR

☑ Plural
☑ Highlight all hit terms initially

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Er Erro
1	BRS	L1	1711	((driv$3 or control$4) same (piezoelectric near2 transformer))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/01 10:25		
2	BRS	L2	370	1 and primary and secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/01 10:26		
3	BRS	L4	129	2 and ((detect$3 or sens$3) same (load or lamp))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/01 10:29		
4	BRS	L5	101	4 and (pulse or (rectangular adj waveform))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/01 10:30		
5	BRS	L6	76	5 and frequency and period	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/01 10:30		
6	BRS	L7	72	6 and ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/01 10:30		
7	BRS	L8	140	2 and ((detect$3 or sens$3) same (load or lamp or (cold adj cathode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/01 10:29		
8	BRS	L9	105	8 and (pulse or (rectangular adj waveform))	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/01 10:30		
9	BRS	L10	78	9 and frequency and period	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/01 10:30		
10	BRS	L11	74	10 and ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/03/01 11:08		

Hits   Details   HTML

Ready   NUM

EAST - [EAST_Text.wsp:1]

File   View   Edit   Tools   Window   Help

Drafts
- BRS
- Pending
- Active
  - L1: (370) ((driv$3 or control$4) same (piezoelectric near
  - L2: (193) 1 and (detect$3 or sens$3)
  - L3: (100) 2 and frequency and period
  - L4: (90) 3 and (pulse or rectangular)
  - L5: (80) 4 and ratio
- Failed
- Saved
- Favorites
- Tagged (0)
- UDC
- Queue
- Trash

DBs   US-PGPUB; USPAT; EPO; JPO; DERWENT
Default operator: OR

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Er	Error
1	BRS	L1	370	((driv$3 or control$4) same (piezoelectric near2 transformer)) and primary and secondary	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/28 16:14			
2	BRS	L2	193	1 and (detect$3 or sens$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/28 16:14			
3	BRS	L3	100	2 and frequency and period	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/28 16:16			
4	BRS	L4	90	3 and (pulse or rectangular)	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/28 16:17			
5	BRS	L5	80	4 and ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT	2005/02/28 16:31			

Ready   NUM